HALLIBURTON

Plot Time: 12-Aug-10 14:49:29
Plot Range: 9455.92 ft to 13420.2 ft
Data: G32306_002_ST00\Well Based\DAQ-0001-009\
Plot File: \\(not saved)\FCASTCBL_033109n_MILLER

MAIN LOG

0 Ovality 1

310 Pipe TravelTime 210
microseconds

0 Line Speed 110
feet per min

5 ACCL 20
Mrayls

Mud impedance
10 0
Mrayls

0 Gamma API 70
api

1K Tension 8K
pounds

Maximum Impedance
10 0
Mrayls

2.3K Collar Locator 2K
volts

0 Inclination 90
degrees

0 Pipe Amplitude 20
millivolts

Minimum Impedance
10 0
Mrayls

0 Eccentricity 1
inches

Rel Bearing
0 360
degrees

0 Pipe Amplitude 100
millivolts

200 Waveform MSG 1.2K
-2500 2500
microseconds

10 Average Impedance 0
Mrayls

0 Impedance Array 360
0 6.15
Mrayls




9550
9600
9650
9700
9750
Inclination
Rel Bearing
Ovality
Tension
Pipe Amplitude
ACCL
Pipe Amplitude
Eccentricity
Collar Locator
Gamma API
Line Speed
Pipe TravelTime
Waveform MSC
Impedance Array
Average Impedance
Minimum Impedance
Maximum Impedance
Mud Impedance


9800
9850
9900
9950
Inclination
Ovality
Tension
ACCL
Eccentricity
Collar Locator
Gamma API
Line Speed
Pipe TravelTime
Rel Bearing
Pipe Amplitude
Pipe Amplitude
Average Impedance
Minimum Impedance
Impedance Array
Maximum Impedance
Waveform MSG
Mud impedance


10000
10050
10100
10150
10200
Inclination
Rel Bearing
Ovality
Tension
Pipe Amplitude
ACCL
Pipe Amplitude
Eccentricity
Collar Locator
Gamma API
Line Speed
Pipe TravelTime
Average Impedance
Minimum Impedance
Impedance Array
Maximum Impedance
Waveform MSG
Mud Impedance


10250
10300
10350
10400
Inclination
Rel Bearing
Ovality
Tension
Pipe Amplitude
ACCL
Pipe Amplitude
Eccentricity
Collar Locator
Gamma API
Line Speed
Pipe TravelTime
Waveform MSG
Average Impedance
Minimum Impedance
Maximum Impedance
Impedance Array
Mud Impedance


10450
10500
10550
10600
Inclination
Rel Bearing
Ovality
Tension
Pipe Amplitude
ACCL
Pipe Amplitude
Eccentricity
Collar Locator
Gamma API
Line Speed
Pipe TravelTime
Average Impedance
Minimum Impedance
Maximum Impedance
Impedance Array
Mud impedance
Waveform MSG


10650
10700
10750
10800
10850
Rel Bearing
Inclination
Ovality
Tension
ACCL
Eccentricity
Collar Locator
Gamma API
Line Speed
Pipe TravelTime
Pipe Amplitude
Pipe Amplitude
Average Impedance
Minimum Impedance
Maximum Impedance
Mud impedance
Impedance Array
Waveform MSG


10900
10950
11000
11050
Tel Bearing
Inclination
Ovality
Tension
ACCL
Eccentricity
Collar Locator
Gamma API
Pipe Amplitude
Pipe Amplitude
Average Impedance
Minimum Impedance
Maximum Impedance
Mud impedance
Waveform MSG
Impedance Array


Line Speed
Pipe TravelTime
11100
11150
11200
11250
11300
Rel Bearing
Inclination
Ovality
Tension
Pipe Amplitude
Pipe Amplitude
Average Impedance
Minimum Impedance
Maximum Impedance
Mud impedance


ACCL
Eccentricity
Collar Locator
Gamma API
Line Speed
Pipe TravelTime
11350
11400
11450
11500
Waveform MSG
Rel Bearing


Inclination
Ovality
Tension
ACCL
Eccentricity
Collar Locator
Gamma AP
Line Speed
Pipe TravelTime
11650
11600
11650
11700
Pipe Amplitude
Pipe Amplitude
Waveform MSG
Average Impedance
Minimum Impedance
Maximum Impedance
Mud Impedance
Array


11750
Rel Bearing
Inclination
Ovality
Tension
ACCL
Eccentricity
Collar Locator
11800
Gamma API
Line Speed
Pipe TravelTime
11850
11900
11950
Pipe Amplitude
Pipe Amplitude
Average Impedance
Minimum Impedance
Maximum Impedance
Mud impedance
Array
Waveform MSG


12000
Rel Bearing
Inclination
Ovality
Tension
ACSL
Eccentricity
Collar Locator
Gamma API
12050
Line Speed
Pipe TravelTime
12100
12150
Pipe Amplitude
Pipe Amplitude
Waveform MSG
Average Impedance
Minimum Impedance
Maximum Impedance
Mud impedance
Impedance Array


12200
12250
12300
12350
12400
Rel Bearing
Inclination
Ovality
Tension
ACCL
Eccentricity
Collar Locator
Gamma API
Line Speed
Pipe TravelTime
Pipe Amplitude
Pipe Amplitude
Waveform MSG
Average Impedance
Minimum Impedance
Maximum Impedance
Mud impedance
Impedance Array


12450
12500
12550
12600
Rel Bearing
Inclination
Ovality
Tension
ACCL
Eccentricity
Collar Locator
Gamma API
Line Speed
Pipe TravelTime
Pipe Amplitude
Pipe Amplitude
Waveform MSG
Average Impedance
Minimum Impedance
Maximum Impedance
Mud Impedance


12650
12700
12750
12800
Rel Bearing
Inclination
Ovality
Tension
ACCL
Eccentricity
Collar Locator
Gamma API
Line Speed
Pipe TravelTime
Pipe Amplitude
Pipe Amplitude
Waveform MSG
Average Impedance
Minimum Impedance
Maximum Impedance
Mud Impedance


12850
12900
12950
13000
13050
Rel Bearing
Inclination
Ovality
ACCL
Eccentricity
Gamma API
Line Speed
Pipe TravelTime
Tension
Collar Locator
Pipe Amplitude
Pipe Amplitude
Waveform MSG
Average Impedance
Minimum Impedance
Maximum Impedance
Mud Impedance


EST CEMENT TOP
13100
13150
13200
13250
Rel Bearing
Inclination
Ovality
ACCL
Eccentricity
Gamma API
Line Speed
Pipe TravelTime
Pipe Amplitude
Tension
Pipe Amplitude
Collar Locator
Waveform MSG
Minimum Impedance
Maximum Impedance



0 Eccentricity 1 inches	Rel Bearing 0 360 degrees	0 Pipe Amplitude 100 millivolts	Waveform MSG 200 1.2K -2500 2500 microseconds	10 Average Impedance 0 Mrayls	0 Impedance Array 360 0 6.15 Mrayls	
2.3K Collar Locator 2K volts	0 Inclination 90 degrees	0 Pipe Amplitude 20 millivolts		Minimum Impedance 10 0 Mrayls		
0 Gamma API 70 api	1K Tension 8K pounds			Maximum Impedance 10 0 Mrayls		
0 Line Speed 110 feet per min	5 ACCL 20 Mrayls			Mud impedance 10 0 Mrayls		Impedance Array Impedance Array
310 Pipe TravelTime 210 microseconds			Waveform MSG			
0 Ovality 1						

MAIN LOG