

# **Outer Continental Shelf Environmental Assessment Program**

**Final Reports of Principal Investigators**

**Volume 60**

**February 1989**



**U.S. DEPARTMENT OF COMMERCE  
National Oceanic and Atmospheric Administration  
National Ocean Service  
Office of Oceanography and Marine Assessment  
Ocean Assessments Division  
Alaska Office**



**U.S. DEPARTMENT OF THE INTERIOR  
Minerals Management Service  
Alaska OCS Region  
OCS Study, MMS 89-0004**

**OUTER CONTINENTAL SHELF  
ENVIRONMENTAL ASSESSMENT PROGRAM**

**Final Reports of Principal Investigators**

Volume 60

February 1989

U.S. DEPARTMENT OF COMMERCE  
National Oceanic and Atmospheric Administration  
National Ocean Service  
Office of Oceanography and Marine Assessment  
Ocean Assessments Division  
Alaska Office

U.S. DEPARTMENT OF THE INTERIOR  
Minerals Management Service  
Alaska OCS Region  
OCS Study, MMS 89-0004

Anchorage, Alaska

The facts, conclusions, and issues appearing in these reports are based on research results of the Outer Continental Shelf Environmental Assessment Program (OCSEAP), which is managed by the National Oceanic and Atmospheric Administration, U.S. Department of Commerce, and funded (wholly or in part) by the Minerals Management Service, U.S. Department of the Interior, through an Interagency Agreement.

---

Mention of a commercial company or product does not constitute endorsement by the National Oceanic and Atmospheric Administration. Use for publicity or advertising purposes of information from this publication concerning proprietary products or the tests of such products is not authorized.

---

The content of these reports has not been altered from that submitted by the Principal Investigators. In some instances, grammatical, spelling, and punctuation errors have been corrected to improve readability; some figures and tables have been enhanced to improve clarity in reproduction.

# Outer Continental Shelf Environmental Assessment Program Final Reports of Principal Investigators

---

VOLUME **60**

FEBRUARY 1989

---

## C O N T E N T S

J. C. TRUETT, EDITOR

Environmental characterization and biological utilization of the North Aleutian Shelf nearshore zone . . . , . . . . .	1
---	---

**ENVIRONMENTAL CHARACTERIZATION AND  
BIOLOGICAL UTILIZATION OF THE  
NORTH ALEUTIAN SHELF NEARSHORE ZONE**

**Edited by**

**Joe C. Truett**

**LGL Ecological Research Associates, Inc.**

**1410 Cavitt Street**

**Bryan, Texas 77801**

**Final Report**

**Outer Continental Shelf Environmental Assessment Program**

**Research Unit 858**

**July 1987**

## **ACKNOWLEDGMENTS**

This study was funded by the Minerals Management Service, Department of the Interior, through an Interagency Agreement with the National Oceanic and Atmospheric Administration, Department of Commerce, as part of the Alaska Outer Continental Shelf Environmental Assessment Program.

The financial support of the Minerals Management Service (MMS) of the Department of the Interior is gratefully acknowledged. Individuals of the National Oceanic and Atmospheric Administration (NOAA) of the Department of Commerce in Anchorage, Alaska, have been supportive and helpful throughout this project. We would particularly like to thank Paul Becker, Lyman Thorsteinson, George Lapiene, and Mike Meyer of NOAA's Anchorage office for their able assistance during the course of the project. Constructive reviews of the project final report were provided by Erdogan Ozturgut (NOAA), Terri Poluszkiewicz (MMS), and others of the staffs of NOAA and MMS.

The officers and crew of the R/V Miller Freeman were extremely helpful and understanding on all cruises. Without their help the work could not have been accomplished. Pilots from NOAA, ERA, and Seair provided excellent support for the aerial surveys, and we thank them all.

Finally, LGL would like to acknowledge the excellent and responsive inputs from our subcontractors for this project-Don Schell and Susan Saupe of the University of Alaska; Mike Tomlinson, Bill Tucker, and others from ESE (Environmental Science and Engineering, Inc.); and Rhys McDonald and Robert Smith of Brown and Caldwell, Inc.

In cases where other individuals were especially helpful to specific disciplines, they have been acknowledged in appropriate chapters of this report.

## LIST OF SECTIONS

	Page
1. INTRODUCTION--Joe C. Truett . . . . .	31
2. PHYSICAL OCEANOGRAPHY-ESE (Environmental Science and Engineering, Inc.) . . . . .	39
3. PRIMARY PRODUCTION, CARBON ENERGETICS, AND NUTRIENT CYCLING-Donald <i>Schell</i> and Susan Saupe. . . . .	99
4. INVERTEBRATES-- <i>Denis</i> Thomson . . . . .	141
5. FISH RESOURCES-Peter Craig. . . . .	217
6. MARINE BIRDS-Declan <i>M.</i> Troy and Stephen I?. Johnson . . . . .	355
7. MARINE MAMMALS-- <i>Declan</i> M. Troy and Stephen R. Johnson . . . . .	455
8. PATTERNS OF ENERGY FLOW: A CONCEPTUAL MODEL-- <i>Denis Thomson</i> . . . . .	489
9. SYNTHESIS--Joe C. Truett . . . . .	523

# TABLE OF CONTENTS

## TABLE OF CONTENTS

	Page
	3
ACKNOWLEDGMENTS .....	3
LIST OF SECTIONS .....	15
LIST OF FIGURES .....	19
LIST OF TABLES .....	25
SECTION 1. INTRODUCTION .....	31
SECTION 1. INTRODUCTION .....	31
1.1 STUDY OBJECTIVES .....	34
1.1 <b>STUDY OBJECTIVES</b> .....	34
1.2 <b>STUDY AREA APPROACH</b> .....	35
1.3 <b>RESEARCH APPROACH</b> .....	35
1.4 <b>CONTENT OF REPORT</b> .....	37
1.5 <b>LITERATURE CITED</b> .....	38
SECTION 2. PHYSICAL OCEANOGRAPHY .....	39
SECTION 2. PHYSICAL OCEANOGRAPHY .....	39
2.1 SUMMARY .....	41
2.1 <b>SUMMARY</b> .....	41
2.2 <b>INTRODUCTION OF KNOWLEDGE</b> .....	41
2.3 <b>CURRENT STATE OF KNOWLEDGE</b> .....	42
2.4 <b>STUDY AREA</b> .....	51
2.5 <b>METHODS</b> .....	51
2.5.1 Meteorology .....	53
2.5.1 <b>Meteorology</b> .....	53
2.5.2 <b>Tides</b> .....	53
2.5.3 <b>Currents</b> .....	54
2.5.4 <b>Hydrography</b> .....	54
2.5.5 <b>Lagoon Surveys</b> .....	55
2.5.6 <b>Existing Data</b> .....	57
2.6 RESULTS AND DISCUSSION .....	58
2.6 <b>RESULTS AND DISCUSSION</b> .....	58
2.6.1 Meteorology .....	58
2.6.1 <b>Meteorology</b> .....	58
2.6.2 <b>Tides</b> .....	59
2.6.3 <b>Currents</b> .....	59
2.6.4 <b>Hydrography</b> .....	66
2.6.5 <b>Lagoonal Influence</b> .....	79
2.7 <b>CONCEPTUAL PHYSICAL MODEL AND CONCLUSIONS</b> .....	85
2.7 <b>CONCEPTUAL PHYSICAL MODEL AND CONCLUSIONS</b> .....	85
2.8 <b>RECOMMENDED FURTHER RESEARCH</b> .....	95
2.9 <b>ACKNOWLEDGMENTS</b> .....	96
2.10 <b>LITERATURE CITED</b> .....	97
2.11 <b>APPENDIX</b> .....	98
SECTION 3. PRIMARY PRODUCTION, CARBON ENERGETICS, AND	
SECTION 3. PRIMARY PRODUCTION, CARBON ENERGETICS, AND	
NUTRIENT CYCLING .....	99
3.1 SUMMARY .....	101
3.1 <b>SUMMARY</b> .....	101
3.2 <b>INTRODUCTION AND CURRENT STATE OF KNOWLEDGE</b> .....	102

TABLE OF CONTENTS (Continued)

	Page
3.3 METHODS .....	10 4
3.3.1 Chlorophyll Concentrations .....	104
3.3.2 Nutrient Concentrations .....	106
3.3.3 Carbon Isotope Analyses .....	106
3.4 RESULTS AND DISCUSSION .....	107
3.4.1 Primary Productivity and Nutrient Dynamics. ....	107
3.4.2 Carbon Isotope Studies. ....	124
3.5 CONCLUSIONS .....	..13 3
3.6 RECOMMENDED FURTHER RESEARCH .....	136
3.7 ACKNOWLEDGMENTS. ....	137
3.8 LITERATURE CITED .....	..13 8
<b>SECTION 4. INVERTEBRATES</b> .....	141
4.1 SUMMARY .....	143
4.2 INTRODUCTION .....	..14 5
4.3 CURRENT STATE OF KNOWLEDGE .....	145
4.3.1 Substrates .....	145
4.3.2 Species Important to Man .....	147
4.3.3 Invertebrates Important in Food Webs .....	153
4.4 METHODS .....	158
4.5 RESULTS AND DISCUSSION .....	161
4.5.1 Zooplankton (Other Than Jellyfish) .....	161
4.5.2 Gelatinous Zooplankton .....	181
4.5.3 Benthic Invertebrates. ....	189
4.6 LITERATURE CITED. ., .....	211
<b>SECTION 5. FISH RESOURCES</b> , .....	217
5.1 SUMMARY .....	219
5.2 INTRODUCTION .....	221
5.3 SOURCES OF INFORMATION .....	221
5.4 <b>STUDY AREA</b> .....	222
5.4.1 Coastal Zone. ....	222
5.4.2 Nearshore Habitats .....	226
5.5 <b>METHODS</b> .....	22 7
5.5.1 <b>Collection</b> Activities .....	227
5.5.2 Echosounder Analyses .....	232

TABLE OF CONTENTS (Continued)

	Page
5.6 RESULTS AND DISCUSSION .....	233
5.6.1 Regional Perspective .....	233
5.6.2 Species Composition and Relative Abundance .....	236
5.6.3 Seasonal Abundance .....	249
5.6.4 Echosounder Analyses .....	256
5.6.5 Species Accounts .....	258
5.7 RECOMMENDED FURTHER RESEARCH .....	325
5.8 ACKNOWLEDGMENTS .....	328
5.9 LITERATURE CITED .....	329
5.10 APPENDIXES.. .....	337
APPENDIX 5.1.—Total Fish Catches, CPUE, and BPUE for Individual Gear Types .....	337
APPENDIX 5.2.—Seasonal CPUE and BPUE, Fish Species Combined .....	345
APPENDIX 5.3.—Detailed Listings of Fish Diets .....	346
SECTION 6. MARINE BIRDS .....	355
6.1 SUMMARY .....	357
6.1.1 Distribution and Abundance .....	357
6.1.2 Feeding Studies .....	357
6.2 INTRODUCTION .....	358
6.3 CURRENT STATE OF KNOWLEDGE .....	362
6.3.1 Northern Fulmar .....	362
6.3.2 Short-tailed Shearwater. ....	364
6.3.3 Red-faced Cormorant. ....	366
6.3.4 <b>King Eider</b> .....	367
6.3.5 Steller's Eider. ....	369
6.3.6 <b>Scoters</b> .....	369
6.3.7 Glaucous-winged Gull .....	372
6.3.8 Black-legged Kittiwake .....	373
6.3.9 <b>Murres</b> .....	375
6.3.10 Crested Auklet .....	378
6.4 METHODS. ....	379
6.4.1 Aerial Surveys .....	380
6.4.2 <b>Shipboard Transects</b> .....	383
6.4.3 Sampling for Prey Analysis .....	384
6.5 RESULTS AND DISCUSSION .....	386
6.5.1 Distribution and Abundance .....	386
6.5.2 <b>Trophic Relationships</b> .....	413

## TABLE OF CONTENTS (Continued)

	<i>Page</i>
<b>6.6 RECOMMENDED FURTHER RESEARCH .....</b>	<b>446</b>
<b>6.7 ACKNOWLEDGMENTS.....</b>	<b>44 7</b>
<b>6.8 LITERATURE CITED.....</b>	<b>448</b>
<b>SECTION 7. MARINE MAMMALS .....</b>	<b>455</b>
<b>7.1 SUMMARY .....</b>	<b>..45 7</b>
<b>7.2 INTRODUCTION .....</b>	<b>..45 7</b>
<b>7.3 CURRENT STATE OF KNOWLEDGE .....</b>	<b>458</b>
7.3.1 Gray Whale .....	458
7.3.2 Dall's Porpoise .....	460
7.3.3 Harbor Porpoise .....	..46 1
7.3.4 Steller Sea Lion .....	462
7.3.5 Harbor Seal .....	464
7.3.6 Sea Otter .....	46 6
<b>7.4 METHODS.....</b>	<b>47 1</b>
7.4.1 Distribution and Abundance .....	471
7.4.2 Trophic Relationships .....	471
<b>7.5 RESULTS AND DISCUSSION .....</b>	<b>471</b>
7.5.1 Distribution and Abundance .....	<b>471</b>
7.5.2 Trophic Relationships .....	479
<b>7.6 RECOMMENDED FURTHER RESEARCH .....</b>	<b>482</b>
<b>7.7 ACKNOWLEDGMENTS.....</b>	<b>48 3</b>
<b>7.8 LITERATURE CITED.....</b>	<b>484</b>
<b>SECTION 8. PATTERNS OF ENERGY FLOW: A CONCEPTUAL MODEL.....</b>	<b>489</b>
<b>8.1 SUMMARY .....</b>	<b>..49 1</b>
<b>8.2 INTRODUCTION.. .....</b>	<b>..49 2</b>
<b>8.3 METHODS .....</b>	<b>49 2</b>
8.3.1 Zooplankton .....	494
8.3.2 Benthos.. .....	..49 4
8.3.3 Seabirds and Marine Mammals .....	495
8.3.4 Fish .....	..49 5
<b>8.4 RESULTS .....</b>	<b>495</b>
8.4.1 Zooplankton .....	495
8.4.2 Benthos .....	<b>49 7</b>
8.4.3 Flow of Primary Organic Matter.....	499
8.4.4 Seabirds and Marine Mammals .....	500
8.4.5 Fish.. .....	503
8.4.6 Summary and Discussion.....	503

TABLE OF CONTENTS (Continued)

	Page
8.5 DISCUSSION.....	509
8.6 LITERATURE CITED.....	513
8.7 APPENDIXES .....	517
APPENDIX 8.1.— <b>Values</b> Used to Convert Wet Weight of Zooplankton and Benthos to Equivalent Weight of Organic Carbon .....	517
APPENDIX 8.2.— <b>Data</b> Used in the Computation of Zooplankton Respiration, Growth, and Consumption. ....	518
APPENDIX 8.3.— <b>Consumption</b> Rates of Vertebrates Used in Computation of the Energy Flow Model .....	519
APPENDIX 8.4.— <b>Daily</b> Ration and Timing of Fish Occurrence in the Study Area .....	520
SECTION 9. SYNTHESIS.....	523
9.1 INTRODUCTION .....	525
9.2 ECOSYSTEM CHARACTERIZATION .....	525
9.3 DISTRIBUTION AND ABUNDANCE OF HIGHER TROPHIC LEVELS .....	533
9.3.1 Spatial Distribution .....	533
9.3.2 Seasonal Patterns. ....	535
9.3.3 Interannual Variability .....	536
9.4 FACTORS REGULATING DISTRIBUTION AND ABUNDANCE .....	538
9.4.1 <b>Trophic</b> Factors .....	538
9.4.2 <b>Physical</b> Factors .....	543
9.5 VULNERABILITIES OF BIOTA TO OCS ACTIVITIES .....	548
9.5.1 Relative Sensitivities of Important Species .....	549
9.5.2 Vulnerabilities of Populations .....	550
9.5.3 Implications for Assessing the Effects of OCS Activities .....	555
9.6 LITERATURE CITED.....	559

## LIST OF FIGURES

Figure	Page
1.1 The area of research for the North Aleutian Shelf study in the Bering Sea, Alaska .....	36
1.2 North Aleutian Shelf study area showing locations of transects and sampling stations .....	36
2.1 The Bering Sea and North Aleutian Shelf study area .....	43
2.2 Approximate locations of the major hydrographic transition zones and areal arrangements of the four different physical process regimes of the eastern Bering Sea shelf .....	44
2.3 Schematic diagram relating vertical energy distributions to the typical horizontal and vertical property distributions and the fronts, and the inferred freshwater and salt fluxes .....	47
2.4 Vector-mean flows from long-term current data .....	49
2.5 Estimated longer-term circulation .....	50
2.6 Physical investigation station locations .....	52
2.7 Predicted and measured tide heights for Grant Point during May 1984 .....	61
2.8 Progressive vector plots of current velocity at Station <b>20S</b> and <b>50S</b> , May ...	63
2.9 Progressive vector plots of current velocity at Stations <b>20S</b> and <b>50S</b> , September-October .....	65
2.10 Vertical salinity contours for May 1984 .....	68
2.11 Vertical temperature contours for October 1984 .....	69
2.12 Temperature and salinity contours along the 20-m isobath and the 56-m isobath for October 1984 .....	71
2.13 Vertical temperature contours for January 1985 .....	72
2.14 Temperature and salinity contours along the 20-m isobath and the 59-m isobath for April 1985 .....	74
2.15 Vertical temperature contours for May 1985 .....	75
2.16 Vertical temperature contours for July 1985 .....	77
2.17 Izembek Lagoon entrance cross sections .....	80

LIST OF FIGURES (Continued)

Figure	Page
2.18 Trajectories for the first and second drogue releases . . . . .	83
2.19 Vertical profiles of current speed, direction, and temperature during the diurnal survey at the south inlet of Izembek Lagoon. . . . .	84
2.20 Approximate quantifications of conceptual model of North Aleutian Shelf coastal zone . . . . .	87
3.0 Location of transects and stations on the North Aleutian Shelf, Alaska, where data on nutrients and primary productivity were collected . . . . .	105
3.1 May 1984 nitrate concentrations . . . . .	109
3.2 Fall 1984 nitrate concentrations . . . . .	110
3.3 January 1985 nitrate concentrations . . . . .	111
3.4 April 1985 nitrate concentrations . . . . .	112
3.5 May 1985 nitrate concentrations . . . . .	113
3.6 July 1985 nitrate concentrations . . . . .	114
3.7 May 1984 chlorophyll-a concentrations . . . . .	<b>115</b>
3.8 Fall 1984 chlorophyll-a concentrations . . . . .	116
<b>3.9</b> January 1985 chlorophyll-a concentrations . . . . .	117
3.10 April 1985 chlorophyll-a concentrations . . . . .	118
3.11 May 1985 chlorophyll-a concentrations . . . . .	119
3.12 July 1985 chlorophyll-a concentrations. . . . .	120
3.13 Primary productivity over the seasonal cycle during an ice-free year. . . . .	<b>121</b>
3.14 Distribution of detrital eelgrass, 1-3 October 1984. . . . .	123
3.15 Mistogram showing $\delta^{13}\text{C}$ values of the plants and animals listed in Table 3.1 . . . . .	132
3.16 Radiocarbon activities from <b>GEOSECS</b> Stations 213,218, and 219 . . . . .	135



LIST OF FIGURES (Continued)

Figure	Page
4.15 Distribution of euphausiid biomass in oblique bongo net tows during five cruises on the North Aleutian Shelf, Alaska . . . . .	177
4.16 Stylized map of the North Aleutian Shelf, Alaska, showing the distribution of mean hydroacoustic echo-density recorded on a <b>100-kHz</b> echosounder during five cruises . . . . .	182
4.17 Stylized map of the North Aleutian Shelf, Alaska, showing the distribution of maximum hydroacoustic echo-density recorded on a <b>100-kHz</b> echosounder during five cruises . . . . .	184
<b>4.18</b> Estimated biomasses of planktonic herbivores and carnivores (excluding jellyfish and ctenophores) in the water column at depths of 20 to 50 m during six cruises on the North Aleutian Shelf, Alaska . . . . .	186
4.19 Distribution of biomass of gelatinous zooplankton taken in Marinovich <b>midwater</b> tows during four cruises on the North Aleutian Shelf, Alaska . . . . .	188
4.20 Total infaunal biomass estimated from benthic grab samples taken at stations of the North Aleutian Shelf, Alaska . . . . .	193
4.21 Bivalve densities estimated from benthic grab samples taken at stations on the North Aleutian Shelf, Alaska . . . . .	<b>195</b>
4.22 Echinoderm densities estimated from benthic grab samples taken at stations on the North Aleutian Shelf, Alaska . . . . .	196
4.23 Polychaete densities estimated from benthic grab samples taken at stations on the North Aleutian Shelf, Alaska . . . . .	<b>199</b>
4.24 Biomass of surface-deposit-feeding invertebrates, estimated from benthic grab samples taken at stations on the North Aleutian Shelf, Alaska . . . . .	201
5.1 Schematic diagram showing seasonal patterns of fish use in the North Aleutian Shelf, Alaska. . . . .	220
5.2 Fish sampling sites in the North Aleutian Nearshore Zone study area, Alaska, showing locations of Transects 0.5-7 and sampling station depths. . . . .	223
5.3 Schematic cross-section of the eastern Bering Sea showing habitats along a transect extending from the Port Moller area to Cape Newenham. . . . .	224

LIST OF FIGURES (Continued)

Figure	Page
5.4 Seasonal water temperature and salinity trends at stations C and E in the North Aleutian Nearshore Zone study area, Alaska . . . . .	225
5.5 Biomass distributions of total fish catches by NMFS trawl surveys in 1980 and 1982 in the southeastern Bering Sea. . . . .	234
5.6 Species assemblages of fish and invertebrates in the eastern Bering Sea, illustrating major groupings and subgroupings . . . . .	235
5.7 Seasonal CPUE and BPUE by four gear types in the North Aleutian Nearshore Zone study area, Alaska, species combined . . . . .	252
5.8 Stylized map of the North Aleutian Nearshore Zone study area, Alaska, showing the mean hydrographic echo-intensity in the water column during five cruises . . . . .	260
5.9 Maximum hydroacoustic value in the water column during five cruises in the North Aleutian Nearshore Zone study area, Alaska . . . . .	262
5.10 Estimated <b>seasonal biomass</b> of forage fishes in the North Aleutian Nearshore Zone study area, Alaska, 1984 and 1985 combined. . . . .	265
5.11 Generalized areas in which Pacific sand lance larvae and juveniles were caught by plankton nets, seine nets, and bongo nets in spring and summer, eastern Bering Sea and western Gulf of Alaska, <b>by the NMFS</b> . . . . .	266
5.12 Length frequencies of sand lance in all catches and in catches separated by gear and date, North Aleutian Nearshore Zone study <b>area, Alaska</b> . . . . .	268
5.13 Frequency of occurrence of <b>sand</b> lance caught in trawls at various water depths, dates combined, in the North Aleutian Nearshore Zonestudy <b>area, Alaska</b> . . . . .	269
5.14 BPUE of sand lance caught in trawls at various water depths, dates combined, in the North Aleutian Nearshore Zone study area, Alaska . . . . .	269
5.15 Seasonal BPUE of sand lance caught in <b>midwater</b> trawls and bottom trawls, in the North Aleutian Nearshore Zone study area, Alaska . . . . .	270
5.16 Echosounder record of fish schools in 26 m of water on Transect 4, July 1985, in the North Aleutian Nearshore Zone study area, Alaska , . . . . .	271
5.17 Seasonal importance of euphausiids and <b>copepods</b> in the diets of sand lance in the North Aleutian Nearshore Zone <b>study</b> area, Alaska . . . . .	274

LIST OF FIGURES (Continued)

Figure	Page
5.18 Primary spawning areas for forage fishes . . . . .	280
5.19 Conceptualized migration routes of herring from offshore wintering grounds to coastal areas in spring, and return routes in summer and fall, in the southeastern Bering Sea, Alaska , . . . . .	280
5.20 Average number of forage fish schools observed along the northern shore of the Alaska Peninsula from Unimak Island to Port Heiden . . . . .	281
5.21 Average density of forage fish schools observed along the Bering Sea shoreline in <b>spring</b> . . . . .	<b>282</b>
5.22 Length frequencies of herring collected during this study in the North Aleutian Nearshore Zone study area, Alaska . . . . .	282
5.23 Feeding intensity and condition factors of herring caught in the eastern Bering Sea . . . . .	284
5.24 Locations of capelin spawning in the northeast Pacific Ocean . . . . .	284
5.25 Seasonal abundance and abundance at various water depths of rainbow smelt caught in the North Aleutian Nearshore Zone study area, Alaska . . . . .	287
5.26 Length frequencies of rainbow smelt caught in this study in the North Aleutian Nearshore Zone study area, Alaska . . . . .	288
5.27 Estimated number of adult salmon migrating eastward by Port Moller, derived from catch data from the Alaska Department of Fish and Game test fishery located <b>45-130</b> km offshore from Port Moller, 1982 . . . . .	290
5.28 Distribution of sockeye salmon during spawning migration . . . . .	<b>290</b>
5.29 Pathway for some adult salmon during spawning migration . . . . .	<b>291</b>
5.30 Stomach fullness of adult sockeye caught in the Alaska Department of Fish and Game test fishery off Port Moller, June 1985 . . . . .	291
5.31 Proportions of foods eaten by sockeye salmon <b>smolts</b> at five Bristol Bay regions, proceeding from the inner bay to the outer bay . . . . .	294
5.32 Seasonal BPUE and CPUE for demersal fishes caught by bottom trawl during this study in the North Aleutian Nearshore Zone study area, Alaska . . . . .	297
5.33 Tag and recovery sites for yellowfin sole in the southeastern Bering Sea, Alaska . . . . .	299

LIST OF FIGURES (Continued)

Figure	Page
5.34 Catch distribution of yellowfin sole in the southeastern Bering Sea, Alaska, during the 1980 NMFS trawl survey. . . . .	299
5.35 Seasonal BPUE and CPUE of yellowfin sole caught in bottom trawls during this study in the North Aleutian Nearshore Zone study area, Alaska . . . . .	300
5.36 Length frequencies of yellowfin sole caught in bottom trawls in the North Aleutian Nearshore Zone study area, Alaska . . . . .	301
5.37 Depth distribution of yellowfin sole caught by month in the North Aleutian Nearshore Zone study area, Alaska. . . . .	303
5.38 Depth distribution of yellowfin and rock sole caught by TRY1 in the North Aleutian Nearshore Zone study area, Alaska, all sampling dates combined. . . . .	303
5.39 Relative abundance of yellowfin sole from east to west along the 3-10-m depth zone in the North Aleutian Nearshore Zone study area. . . . .	304
5.40 Stomach fullness index for yellowfin sole by month in the North Aleutian Nearshore Zone study area . . . . .	304
5.41 Catch distribution of rock sole during the 1980 NMFS survey, Bering Sea, Alaska . . . . . a . . . . .	308
5.42 Seasonal BPUE and CPUE of rock sole caught in bottom trawls in the North Aleutian Nearshore Zone study area, Alaska . . . . .	308
5.43 Length frequencies of rock sole caught by TRY1 bottom trawl on various dates in the North Aleutian Nearshore Zone study area, Alaska . . . . .	309
5.44 Seasonal stomach fullness index of rock sole caught in the North Aleutian Nearshore Zone study area, Alaska . . . . .	312
5.45 Length frequencies of pollock caught in the North Aleutian Nearshore Zone study area, Alaska . . . . .	315
5.46 Seasonal abundance of young-of-year pollock in the water column and juveniles in bottom trawls in the North Aleutian Nearshore Zone study area, Alaska . . . . .	316
5.47 Conceptual model of the vertical distribution of juvenile and adult walleye pollock across the eastern Bering Sea shelf and slope, and Aleutian Basin areas. . . . .	316

LIST OF FIGURES (Continued)

Figure	Page
5.48 Changes in composition of pollock prey with size. ....	318
5.49 Seasonal stomach fullness index of pollock caught in the North Aleutian Nearshore Zone study area, Alaska .....	318
5.50 Length frequencies of pacific cod caught in the North Aleutian Nearshore Zone study area, Alaska .....	320
5.51 Length frequencies of halibut caught in the North Aleutian Nearshore Zone study area, Alaska .....	323
5.52 Length frequencies of five species caught in the North Aleutian Nearshore Zone study area, Alaska .....	326
6.1 Major breeding concentrations of <b>seabirds</b> in the Bering Sea .....	359
6.2 Pelagic distribution of Northern <b>Fulmars</b> in the Bering Sea, March-November .....	363
6.3 Distribution of flying flocks of 10,000 or more shearwaters observed in the eastern Aleutian Islands .....	363
6.4 Breeding areas and winter distributions of King Eiders in the Bering Sea region .....	368
6.5 Former breeding area, molting areas, and winter distribution of <b>Steller's</b> Eiders in the eastern Bering Sea region .....	368
6.6 Distribution of <b>scoters</b> in the eastern Bering Sea region. ....	370
6.7 Black-legged Kittiwake colonies in the southeastern Bering Sea .....	370
6.8 Breeding distribution of Common and Thick-billed murre in the Bering Sea .....	376
6.9 Pelagic distribution of murre determined by air and ship surveys in July and August, southeastern Bering Sea .....	376
6.10 Aerial survey transects for bird and marine mammal distribution and abundance, North Aleutian Shelf, Alaska .....	381
6.11 Densities of the most common birds recorded during North Aleutian Shelf, Alaska, cruises on the Miller Freeman .....	391
6.12 Monthly trends in abundance of marine birds by transect group in the North Aleutian Shelf. ....	396

## LIST OF FIGURES (Continued)

Figure	Page
6.13 Densities of marine birds by depth as recorded during the May 1984 cruise, North Aleutian Shelf, Alaska . . . . .	400
6.14 Densities of marine birds encountered by depth zone on the North Aleutian Shelf, Alaska, May 1985 . . . . .	402
6.15 Densities of marine birds encountered by depth zone during September 1984 cruise on the North Aleutian Shelf, Alaska . . . . .	405
6.16 Densities of marine birds encountered by depth zone during January 1985 on the North Aleutian Shelf, Alaska. . . . .	405
6.17 Densities of marine birds encountered by depth zone in July 1985 on the North Aleutian Shelf, Alaska . . . . .	410
6.18 Map of the North Aleutian Shelf study area, showing bird collection locations . . . . .	415
6.19 Diet composition of stomach contents of Black-legged Kittiwakes and Short-tailed Shearwaters collected in the North Aleutian Shelf area, Bering Sea, Alaska, May 1984 to July 1985 . . . . .	418
6.20 Identity of fish otoliths from stomachs of Black-legged Kittiwakes and Short-tailed Shearwaters collected in the North Aleutian Shelf area, Bering Sea, Alaska, September 1984 to July 1985 . . . . .	420
6.21 Comparisons of stomach contents of terns and Glaucous-winged Gulls collected in the North Aleutian Shelf area, Bering Sea, Alaska, September 1984 to July 1985 . . . . .	422
6.22 Identity of fish otoliths from stomachs of terns and Glaucous-winged Gulls collected in the North Aleutian Shelf area, Bering Sea, Alaska, September 1984 to July 1985 . . . . .	423
6.23 Stomach contents of surface-feeding birds collected during four cruises over the North Aleutian Shelf area, Bering Sea, Alaska, <b>May 1984 to July 1985</b> . . . . .	426
6.24 Composition of stomach contents of Red-faced Cormorants collected in the North Aleutian Shelf area, Bering Sea, Alaska, May 1984 to July 1985 . . . . .	428
6.25 Identity of fish otoliths from stomachs of Red-faced Cormorants and murrelets collected in the North Aleutian Shelf area, Bering Sea, Alaska, September 1984 to July 1985 . . . . .	430

LIST OF FIGURES (Continued)

Figure	Page
6.26 Composition of stomach contents of murrelets collected in the North Aleutian Shelf area, Bering Sea, Alaska, May 1984 to July 1985 . . . . .	432
6.27 Stomach contents of water-column-feeding birds collected during four cruises over the North Aleutian Shelf area, Bering Sea, Alaska, <b>May 1984 to July 1985</b> . . . . .	<b>433</b>
6.28 Composition of stomach contents of scoters collected in the North Aleutian Shelf area, Bering Sea, Alaska, September 1984 to July 1985 . . . . .	435
6.29 Composition of stomach contents of Steller's and King eiders collected in the North Aleutian Shelf area, Bering Sea, Alaska, September 1984 to July 1985 . . . . .	438
6.30 Composition of stomach contents of Oldsquaws and Harlequin Ducks collected in the North Aleutian Shelf area, Bering Sea, Alaska, September 1984 to May 1985 . . . . .	441
6.31 Identity of fish otoliths from stomachs of Oldsquaws and scoters collected in the North Aleutian Shelf area, Bering Sea, Alaska, September 1984 and May 1985 . . . . .	443
6.32 Composition of stomach contents of benthic feeding birds collected during four cruises over the North Aleutian Shelf area, Bering Sea, Alaska, September 1984 to July 1985 . . . . .	445
7.1 Distribution of <b>Dall</b> porpoises in 1° blocks in the southeastern Bering Sea . . . . .	461
7.2 <b>Steller</b> sea lion distribution . . . . .	463
7.3 <b>Haulout</b> sites used by harbor seals, sea lions, and walruses on the North Aleutian Shelf, with approximate numbers in brackets . . . . .	463
7.4 Pacific harbor seal distribution . . . . .	465
7.5 Locations of harbor seal concentration areas on the north side of the Alaska Peninsula with highest total sighted at each location by Everitt and <b>Braham</b> (1980) from 1975 to 1977 . . . . .	465
7.6 Sea otter distribution . . . . .	468
7.7 Sea otter distribution and abundance on the North Aleutian Shelf in winter and summer . . . . .	469

LIST OF FIGURES [Continued)

Figure	Page
7.8 Density of marine mammals in the North Aleutian Shelf, Alaska, by cruise . . . . .	474
7.9 Monthly trends in abundance of marine mammals by transect group in the North Aleutian Shelf. . . . .	476
7.10 Abundance of sea otters by depth class in the North Aleutian Shelf, Alaska. . . . .	478
7.11 Contents of scats of sea otters feeding offshore near Izembek Lagoon, North Aleutian Shelf, Bering Sea, Alaska. . . . .	481
8.1 Schematic representation of energy flow on the North Aleutian Shelf, . . . .	511
9.1 Areas where some of the animal populations in the North Aleutian Shelf study area are concentrated. . . . .	544

## LIST OF TABLES

Table	Page
2.1 Physical process regimes . . . . .	46
2.2 Comparison of selected Cold Bay, Alaska, meteorological parameters with historical mean values for May, September, and October . . . . .	60
3.1 $\delta^{13}\text{C}$ values for plants and animals collected in lagoon and nearshore waters of the North Aleutian Shelf . . . . .	125
3.2 Average $\delta^{13}\text{C}$ values for organisms in plankton-based ecosystems worldwide.....	130
3.3 Radiocarbon activities of fishes, eelgrass, and dissolved inorganic carbon collected from North Aleutian Shelf waters . . . . .	134
4.1 Mean biomass of all zooplankton except jellyfish in oblique bongo net tows on six cruises on the North Aleutian Shelf. . . . .	163
4.2 Mean biomass of all zooplankton except jellyfish in oblique bongo net tows over two depth ranges on the North Aleutian Shelf. . . . .	163
4.3 Biomass of zooplankton on the North Aleutian Shelf and in other <b>marine areas</b> . . . . .	165
4.4 Mean density of <b>copepod</b> species in oblique bongo tows during six cruises on the North Aleutian Shelf. . . . .	173
4.5 Results of a factor analysis of the 12 most common zooplankton species in 28 oblique bongo tow samples from the North Aleutian Shelf, Alaska, during six cruises in 1984 and 1985 . . . . .	174
4.6 Dominant <b>copepod</b> assemblages at selected stations on the North Aleutian Shelf . . . . .	175
4.7 Number of 10-minute segments of <b>38-kHz</b> and <b>100-kHz</b> echosounder tapes that were coded, total distance represented by the coded data, and mean coded value for five cruises on the North Aleutian Shelf . . . . .	175
4.8 Mean biomass of herbivores, carnivores, and gelatinous zooplankton taken in oblique bongo tows, and of gelatinous zooplankton taken in Marinovich <b>midwater</b> tows on the North Aleutian Shelf , . . . . .	187
4.9 Taxonomic composition of the <b>infauna</b> collected over two depth ranges during six cruises on the North Aleutian Shelf, expressed as a percentage of mean total infaunal biomass or density . . . . .	190
4.10 Mean biomass of infaunal benthos in relation to depth on the North Aleutian Shelf and offshore waters. . . . .	192

LIST OF TABLES (Continued)

Table	Page
4.11 Biomass of infaunal benthos on the North Aleutian Shelf, Alaska, and in other marine areas . . . . .	194
4.12 Depth distribution of total infaunal biomass and biomass of dominant infaunal <b>taxa</b> collected during this study on the North Aleutian Shelf, and by Haflinger (1981) in adjacent offshore waters . . . . .	197
4.13 Distribution of infaunal benthic feeding guilds over six depth ranges on the North Aleutian Shelf . . . . .	200
4.14 Mean biomass of crangonid shrimp over six depth ranges sampled <b>by three methods on the North Aleutian Shelf</b> . . . . .	203
4.15 Mean biomass of crangonid shrimp sampled by three methods at depths of 3 to 10 m on six transects on the North Aleutian Shelf . . . . .	203
4.16 Mean biomass of mysids sampled by two methods over five depth ranges on the North Aleutian Shelf . . . . .	205
4.17 Mean biomass of mysids sampled by two methods at depths of 3 to 10 m on six transects on the North Aleutian Shelf . . . . .	205
4.18 Mean biomass of mysids collected in oblique bongo net tows and epibenthic sled tows during six cruises on the North Aleutian Shelf . . . . .	206
4.19 Mean biomass of amphipods collected by three methods over five depth ranges on the North Aleutian Shelf. . . . .	207
4.20 Mean biomass of amphipods collected by three methods on six transects and two depth ranges on the North Aleutian Shelf. . . . .	207
4.21 Total number of red king and Tanner crabs collected in bottom trawls on all North Aleutian Shelf cruises, 1984 and 1985 . . . . .	208
5.1 Sampling gear used at various water depths along a shore-to-sea transect. . . . .	228
5.2 Sampling effort per sampling period . . . . .	228
5.3 Description of sampling gear and gear codes . . . . .	229
5.4 Species composition and abundance of demersal fishes which characterize the middle Bering Shelf, and the middle shelf subarea adjacent to the North Aleutian Nearshore Zone, based on the NMFS trawl data. . . . .	237

LIST OF TABLES [Continued]

Table	Page
5.5 Fish species, codes, and total catches in the North Aleutian Nearshore Zone, 1984-85 .....	238
5.6 Abundant fish species in the North Aleutian Nearshore Zone .....	239
5.7 Abundant fish species in four coastal habitats .....	241
5.8 Abundant fishes in various habitats in the North Aleutian Nearshore Zone.. .....	242
5.9 Fish catch per unit effort and biomass per unit effort .....	250
5.10 Biomass of demersal fishes caught by large and small bottom trawls in the North Aleutian Nearshore Zone and NMFS Subarea 1 in the eastern Bering Sea. ....	253
5.11 Relationships between fish catches in <b>midwater</b> and bottom trawls and echosounder intensity at the trawl depth in the North Aleutian Nearshore Zone study area .....	257
5.12 Echosounder records from the North Aleutian Nearshore Zone study area coded for echo-intensity .....	257
5.13 General patterns of fish use of nearshore waters along the northern Alaska Peninsula .....	259
5.14 Seasonal diets of sand lance .....	273
5.15 Comparisons of proportions of zooplankton in the diets of sand lance and in the water column.. .....	275
5.16 Sand lance diets: comparisons between years, water depths, and fish sizes .....	277
5.17 Sand lance diets: species composition of <b>copepods</b> and euphausiids .....	279
<b>5.18</b> Herring diets .....	285
5.19 Rainbow smelt diets .....	285
5.20 Adult sockeye and chum salmon diets .....	293
5.21 Juvenile salmon diets .....	296
5.22 Yellowfin sole diets .....	305

LIST OF TABLES (Continued)

<i>Table</i>	Page
5.23 Yellowfin sole diets: comparisons between years and locations .....	<b>307</b>
5.24 Rocksole diets .....	<b>311</b>
5.25 Rock sole diets: comparisons between locations in the North Aleutian Nearshore Zone.. .....	313
5.26 Walleyepollock diets.. .....	<b>319</b>
5.27 Pacific cod diets .....	322
5.28 Halbut diets .....	324
6.1 <b>Seabird</b> colonies of the North Aleutian Shelf study area .....	360
6.2 Coordinates for ends of aerial survey transects .....	382
6.3 Average densities of marine birds on aerial survey transects between Cape Mordvinof and Cape Seniavin, North Aleutian Shelf, Alaska. ....	<b>387</b>
6.4 Densities of marine birds by cruise, North Aleutian Shelf, Alaska .....	390
6.5 Densities of marine birds by water depth classes on the North Aleutian Shelf, Alaska, during May 1984. ....	399
6.6 Densities of marine birds by water depth classes on the North Aleutian Shelf, Alaska, during May 1985. ....	401
6.7 Densities of marine birds by water depth classes on the North Aleutian Shelf, Alaska, during September 1984 .....	404
6.8 Densities of marine birds by water depth classes on the North Aleutian Shelf, Alaska, during January 1985. ....	407
6.9 Densities of marine birds by water depth classes on the North Aleutian Shelf, Alaska, during July 1985 .....	409
6.10 Rough estimates of total bird populations within the North Aleutian Shelf, Alaska, study area at the time of each aerial survey .....	<b>411</b>
6.11 Summary of bird collections, North Aleutian Shelf, Bering Sea, Alaska, 1984 and 1985 .....	<b>414</b>
6.12 Organisms consumed by Black-legged Kittiwakes in nearshore waters of the North Aleutian Shelf, Bering Sea, Alaska .....	<b>417</b>

LIST OF TABLES (Continued)

Table	Page
6.13 Organisms consumed by Short-tailed Shearwaters in the nearshore waters of the North Aleutian Shelf, Bering Sea, Alaska . . . . .	419
6.14 Organisms eaten by Glaucous-winged Gulls in nearshore waters of the North Aleutian Shelf, Bering Sea, Alaska, 1985 . . . . .	421
6.15 Organisms eaten by terns in nearshore waters of the North Aleutian Shelf, Bering Sea, Alaska, 1985 . . . . .	425
6.16 Organisms eaten by Red-faced Cormorants in nearshore waters of the North Aleutian Shelf, Bering Sea, Alaska . . . . .	428
6.17 Organisms consumed by murrelets in nearshore waters of the North Aleutian Shelf, Bering Sea, Alaska . . . . .	431
6.18 Organisms eaten by <b>scoters</b> in nearshore waters of the North Aleutian Shelf, Bering Sea, Alaska, 1984 and 1985 . . . . .	435
6.19 Organisms eaten by Steller's Eiders in nearshore waters of the North Aleutian Shelf, Bering Sea, Alaska . . . . .	437
6.20 Organisms consumed by King Eiders in nearshore waters of the North Aleutian Shelf, Bering Sea, Alaska . . . . .	439
6.21 Organisms eaten by Oldsquaws in nearshore waters of the North Aleutian Shelf, Bering Sea, Alaska, 1985 . . . . .	442
6.22 Organisms eaten by Harlequin Ducks in nearshore waters of the North Aleutian Shelf, Bering Sea, Alaska, 1984 and 1985 . . . . .	444
7.1 Rank order of importance of major items in stomachs of harbor seals collected in the southeastern Bering Sea, 4-12 October 1981 . . . . .	467
7.2 Average densities of marine mammals on aerial survey transects east of Cape Mordvinof, North Aleutian Shelf, Alaska . . . . .	472
7.3 Densities of marine mammals by cruise, North Aleutian Shelf, Alaska . . . .	474
7.4 Densities of marine mammals by water depth classes during cruises on the North Aleutian Shelf, Alaska . . . . .	477
7.5 Rough estimates of total mammal populations within the North Aleutian Shelf, Alaska, study area at the time of each aerial survey . . . . .	480
7.6 Estimated mean percentage of sea otter scats collected in the vicinity of Izembek Lagoon, North Aleutian Shelf, Bering Sea, Alaska . . . . .	481

LIST OF TABLES (Continued)

Table	Page
8.1 Estimated average standing crop and rates of production and consumption for zooplankton on the North Aleutian Shelf, Alaska . . . . .	496
6.2 Estimated annual respiration, growth, and consumption by the benthos on the North Aleutian Shelf, Alaska . . . . .	498
8.3 Sources and fate of primary production through the lower <b>trophic</b> levels of the southeastern Bering Sea. . . . .	500
8.4 Estimated annual consumption by <b>seabirds</b> and marine mammals on the North Aleutian Shelf, Alaska . . . . .	501
6.5 Estimated annual consumption by fish on the North Aleutian Shelf, Alaska. . . . .	502
8.6 Estimated consumption of major prey by fish, seabirds, and marine mammals on the North Aleutian Shelf, Alaska . . . . .	504
6.7 Comparison of estimated prey availability vs. consumption by vertebrates on the North Aleutian Shelf, Alaska. . . . .	505
8.8 Estimated biomasses of major food web components on the North Aleutian Shelf, Alaska, in terms of how much is available and how much is consumed . . . . .	506
8.9 Standing crop of invertebrates and vertebrates on the North Aleutian Shelf, Alaska. . . . .	508

4