

Outer Continental Shelf Environmental Assessment Program

Final Reports of Principal Investigators

Volume 63

August 1989



**U.S. DEPARTMENT OF COMMERCE
National Oceanic and Atmospheric Administration
National Ocean Service
Office of Oceanography and Marine Assessment
Ocean Assessments Division
Alaska Office**



**U.S. DEPARTMENT OF THE INTERIOR
Minerals Management Service
Alaska OCS Region
OCS Study, MMS 89-0071**

"Outer Continental Shelf Environmental Assessment Program Final Reports of Principal Investigators" ("OCSEAP Final Reports") continues the series entitled "Environmental Assessment of the Alaskan Continental Shelf Final Reports of Principal Investigators."

It is suggested that reports in this volume be cited as follows:

P. C. Craig and P. Skvorc. 1982. Fish resources of the Chukchi Sea: status of existing information and field program design and field program design. U.S. Dep. Commer., NOAA, OCSEAP Final Rep. 63(1989): 1-62

Everett, R. J., and R. L. Wilmot. 1987. Population genetic structure of Arctic char (*Salvelinus alpinus*) from rivers of the North Slope of Alaska. U.S. Dep. Commer., NOAA, OCSEAP Final Rep. 63(1989): 63-121.

Martin, D. J., C. K. Whitmus, L. E. Hachmeister, E. C. Volk, and S. L. Schroder. 1987. Distribution and seasonal abundance of juvenile salmon and other fishes in the Yukon Delta. U.S. Dep. Commer., NOAA, OCSEAP Final Rep. 63 (1989): 123-277.

McGurk, M. D. 1989. Early life history of Pacific herring in Auke Bay, Alaska: relationships of growth and survival to environmental conditions. U.S. Dep. Commer., NOAA, OCSEAP Final Rep. 63(1989):279-421.

Rice, S. D., M. M. Babcock, C. C. Brodersen, M. G. Carls, J. A. Gharrett, S. Kern, A. Moles, and J. W. Short. 1986. Lethal and sublethal effects of the water-soluble fraction of Cook Inlet crude oil on Pacific herring (*Clupea harengus pallasi*) reproduction. U.S. Dep. Commer., NOAA, OCSEAP Final Rep. 63 (1989): 423-490.

Schmidt, D. R., R. O. McMillan, and B. J. Gallaway. 1983. Nearshore fish surveys in the western Beaufort Sea: Harrison Bay to Elson Lagoon. U.S. Dep. Commer., NOAA, OCSEAP Final Rep. 63 (1989): 491-552.

Wilmot, R. L., R. J. Everett, and W. A. Gellman. 1989. Genetic stock identification of sockeye and chum salmon from Bristol Bay, Alaska. U.S. Dep. Commer., NOM, OCSEAP Final Rep. 63(1989): 553-599.

OCSEAP Final Reports are published by the U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Ocean Service, Ocean Assessments Division, Alaska Office, Anchorage, and primarily funded by the Minerals Management Service, U.S. Department of the Interior, through interagency agreement.

Requests for receipt of OCSEAP Final Reports on a continuing basis should be addressed to:

NOAA-OMA-OAD

Alaska Office

Federal Bldg., U.S. Court House Room A13

222 West Eighth Ave., #56

Anchorage, AK 99513-7543

OUTER CONTINENTAL SHELF
ENVIRONMENTAL ASSESSMENT PROGRAM

Final Reports of Principal Investigators

Volume 63

August 1989

U.S. DEPARTMENT OF COMMERCE
National Oceanic and Atmospheric Administration
National Ocean Service
Office of Oceanography and Marine Assessment
Ocean Assessments Division
Alaska Office

U.S. DEPARTMENT OF THE INTERIOR
Minerals Management Service
Alaska OCS Region
OCS Study, MMS 89-0071

Anchorage, Alaska

The facts, conclusions, and issues appearing in these reports are based on research results of the Outer Continental Shelf Environmental Assessment Program (OCSEAP), which is managed by the National Oceanic and Atmospheric Administration, U.S. Department of Commerce, and funded (wholly or in part) by the Minerals Management Service, U.S. Department of the Interior, through an Interagency Agreement.

Mention of a commercial company or product does not constitute endorsement by the National Oceanic and Atmospheric Administration. Use for publicity or advertising purposes of information from this publication concerning proprietary products or the tests of such products is not authorized.

The content of these reports has not been altered from that submitted by the Principal Investigators. In some instances, grammatical, spelling, and punctuation errors have been corrected to improve readability; some figures and tables have been enhanced to improve clarity in reproduction.

Outer Continental Shelf Environmental Assessment Program

Final Reports of Principal Investigators

VOLUME 63

AUGUST 1989

C O N T E N T S

| | |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| P. C. CRAIG AND P. SKVORC | |
| Fish resources of the Chukchi Sea: status of existing information and field program design | 1 |
| R. J. EVERETT AND R. L. WILMOT | |
| Population genetic structure of Arctic char (<i>Salvelinus alpinus</i>) from rivers of the North Slope of Alaska | 63 |
| D. J. MARTIN, C. J. WHITMUS, L. E. HACHMEISTER, E. C. VOLK, AND S. L. SCHRODER | |
| Distribution and seasonal abundance of juvenile salmon and other fishes in the Yukon Delta | 123 |
| M. D. MCGURK | |
| Early life history of Pacific herring in Auke Bay, Alaska: relationships of growth and survival to environmental conditions. | 279 |
| S. D. RICE, M. M. BABCOCK, C. C. BRODERSEN, M. G. CARLS, J. A. GHARRETT, S. KORN, A. MOLES, AND J. W. SHORT | |
| Lethal and sublethal effects of the water-soluble effects of Cook Inlet crude oil on Pacific herring (<i>Clupea harengus pallasii</i>) reproduction | 423 |
| D. R. SCHMIDT, R. O. McMILLAN, AND B. J. GALLAWAY | |
| Nearshore fish survey in the western Beaufort Sea: Harrison Bay to Elson Lagoon | 491 |
| R. L. WILMOT, R. J. EVERETT, AND W. A. GELLMAN | |
| Genetic stock identification of sockeye and chum salmon from Bristol Bay, Alaska | 553 |